A4 black and white multifunction printer

IM 370 IM 370F IM 460F





Your print infrastructure – the gateway to your digital workspace

Digitalisation and evolving workstyles require organisations to embrace new technology in order to remain competitive. RICOH's Managed Print & Automation Services unlock the value of your traditional print infrastructure with tailored, managed solutions that empower your people, improve efficiency, reduce costs, enhance security and drive sustainability. Ricoh's latest generation of compact mono A4 multifunction devices are designed to create a seamless user experience for the workplace of today. This includes:

- Customisation options to match your workflow needs with RICOH Smart Integration
- Reliability and security upholding the latest security standards with automatic updates using RICOH Always Current Technology
- Workspace optimisation with a compact, multi-function device featuring A4 and A3 capabilities plus faster print and scan speeds
- Contribution to sustainability with low Typical Energy Consumption values (TEC) and usage of recycled plastics in the device mainframe
- For more information about RICOH's Managed Print & Automation Services visit https://www.ricoh-europe.com/ digital-gateway





About Ricoh – a value-added workspace integrator

We take a holistic approach to delivering end-toend workspace solutions for business transformation across the globe. Our marketleading print devices remain central to our unique digital services portfolio. We also offer a range of solutions in areas from networking and security to datacentre, deployment, business process management and cloud.

A reliable partner to support your digitalisation

We're dedicated to integrating technology that builds on our heritage of print innovation with services and solutions that drive growth and deliver a best-in-class employee experience. Unlock the value of your print infrastructure and futureproof your organisation with tailored managed services from our expert engineers, consultants and developers.

Innovative technology that evolves with your organisation

Faster print and scan

Experience the benefits of fast black-and-white print and colour scan speeds with our compact multi-function device. Enjoy the added convenience of A3 capabilities, allowing a flexible move from A4 to A3 for easy print, copy and scan.



Improved usability

User friendly and accessible, our mono Multi-Function Printers (MFPs) come with an improved 7" tiltable Smart Operation Panel with capacitive touch for optimal access to the device's many functions. This includes Bluetooth 5.2 for a stable connection and 6GB RAM for better workflow performance.



Integrated software solutions

Create seamless workflows with customised scanning, automation and cloud solutions integrated within our MFPs – explore RICOH Streamline NX, RICOH Print Management Cloud and Kofax Printix software.



Robust security

RICOH's Always Current Technology provides security upgrades and automatically downloads updates. The latest security standard – Trusted Platform Module 2.0 PM – improves encryption strength and protects important data. This next generation of mono devices includes improved admin management control.



Flexible and sustainable for doing business responsibly

Enhanced sustainability

Going green is easy with our mono MFPs. Low TEC values, energy consumption reduced by 45% when in sleep and 17% of the plastics used within the device mainframe are from recycled materials.



Intelligent business data

Ricoh's @Remote technology turns data into detailed and intelligent device knowledge.

Whatever the size is of your organisation, you can manage your devices in the most cost-effective and automated way.



Carbon Balanced Service

A simple add on to the device(s), you can offset the lifetime carbon impacts of your print infrastructure through our Carbon Balanced Service – helping achieve your sustainability goals.



Flexible financing

Manage and spread your software and hardware costs with Ricoh Capital.

Predictable monthly or quarterly invoices make budgeting, reporting and auditing simple and efficient.



Ricoh's flagship black and white A4 intelligent device



- 1 SPDF with Paper Guide Tray Type M54
- 2 Mainframe, includes 500 sheet paper tray
- 3 Paper Feed Unit PB1200, 500 sheet
- 4 Caster Table 79
- 5 Low Cabinet 80 / High Cabinet 81

IM 370/IM 370F/IM 460F

MAIN SPECIFICATIONS

	IM 370	IM 370F	IM 460F
GENERAL			
Varm-up time		31 seconds	
irst copy speed: B/W	4.7 seconds	4.7 seconds	4.1 seconds
ontinuous output speed	37 ppm	37 ppm	46 ppm
emory: standard	o. pp	6 GB	ю рр
orage: standard		64 GB	
SD: optional		256 GB	
DD: optional		320 GB	
PDF capacity		50 sheets	
eight		41 kg	
mensions: W x D x H		374 x 493 x 640 mm	
ower source	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz
OPIER			
ultiple copying		Up to 999 copies	
esolution		600 dpi	
oom		From 25% to 400% in 1% steps	
RINTER			
rst print speed: B/W	3.8 seconds	3.8 seconds	3.3 seconds
PU		Marvell 88PA6270 1.2GHz	
inter language: standard		, PostScript 3 (emulation), PDF direct (emulation), M	` '
inter language: option	Genuine .	Adobe® PostScript®3™, XPS, IPDS, PDF Direct fro	om Adobe®
int resolution: maximum		1,200 x 1,200 dpi	
etwork interface: standard	Ethernet 10 base-T/100 l	pase-TX∕1000 base-T, USB Host I/F Type A, USB De	evice I/F Type B, Bluetooth
etwork interface: option	Wire	less LAN (IEEE 802.11a/b/g/n), USB Device Server	Option
obile printing capability	Apple AirPrint, Mopria®, Ricoh Smart Device Connector		
etwork protocol	TCP/IP (IP v4, IP v6)		
findows® environments	Windows® 8.1, Windows® 10, Windows® 11, V	Vindows® Server 2012, Windows® Server 2012R2,	Windows® Server 2016, Windows® Server 20
		Windows® Server 2022	
ac OS environments		Macintosh OS X v10.15 or later	
NIX environments	UNIX Sun	® Solaris, HP-UX, SCO OpenServer, RedHat® Linu	x, IBM® AIX
AP® environments		SAP® R/3®, SAP® S/4®	
ther supported environments		IBM iSeries	
CANNER			
canning speed: SPDF (A4 LEF,	F, 46 ipm (simplex) - 92 ipm (duplex) 1,200 dpi		
00dpi, B&W full colour) Resolution: maximum			
ooolation. maximum	Single Page TIFE Single page IPEG Single p	age PDF, Single page High compression PDF, Sing	le nage PDF∕A. Multi nage TIFF. Multi nage PC
ile formats			
le formats	Multi page High compression PDF. Multi pa	age PDF/A. Single page Encryption PDF. Multi page	, 3 ,
	Multi page High compression PDF, Multi pa	age PDF/A, Single page Encryption PDF, Multi page E-mail, Folder, USB, URL, FTP, SMB	
can modes	Multi page High compression PDF, Multi pa	age PDF/A, Single page Encryption PDF, Multi page E-mail, Folder, USB, URL, FTP, SMB	
can modes AX (IM 370F, IM 460F)	Multi page High compression PDF, Multi pa	E-mail, Folder, USB, URL, FTP, SMB	DOTAL DOV
can modes AX (IM 370F, IM 460F) rcuit	Multi page High compression PDF, Multi page	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX	PSTN,PBX
AX (IM 370F, IM 460F) rouit ansmission speed	Multi page High compression PDF, Multi page	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds	3 seconds
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum	Multi page High compression PDF, Multi page	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps	3 seconds 33.6 Kbps
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method	Multi page High compression PDF, Multi page	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds	3 seconds
can modes AX (IM 370F, IM 460F) rcuit ansmission speed odem speed: maximum ompression method canning speed	Multi page High compression PDF,	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR	3 seconds 33.6 Kbps MH,MR,MMR
ile formats can modes AX (IM 370F, IM 460F) ircuit transmission speed lodem speed: maximum compression method canning speed lemory: standard APER HANDLING	Multi page High compression PDF,	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm	3 seconds 33.6 Kbps MH,MR,MMR 46 spm
can modes AX (IM 370F, IM 460F) ircuit ransmission speed odem speed: maximum ompression method canning speed emory: standard	- - - - - -	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit annsmission speed odem speed: maximum compression method canning speed emory: standard APER HANDLING ecommended paper size	- - - - - -	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size	- - - - - -	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard)	- - - - - -	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum compression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum	- - - - - -	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard	- - - - - - - Bypass	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 250 sheets	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) ircuit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight	- - - - - - - Trays (6	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) ircuit ransmission speed rodem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight aper types	- - - - - - - Trays (6	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 2,100 sheets 250 sheets 00 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 -	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) ircuit ransmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight aper types COLOGY	- - - - - - - Trays (6	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 2,100 sheets 250 sheets 00 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 -	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight aper types COLOGY over consumption: max.	- - - - - - Bypass Bypass Plain paper, Recycled paper,	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 2,100 sheets 250 sheets 60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - Special paper, Colour paper, Letterhead, Preprinted	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max. ower consumption: operation	- - - - - - - Trays (6	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 2,100 sheets 250 sheets 60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - Special paper, Colour paper, Letterhead, Preprinted	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit anansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max. ower consumption: peation ower consumption: ready	- - - - - - Bypass Bypass Plain paper, Recycled paper,	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 2,100 sheets 250 sheets 30 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - Special paper, Colour paper, Letterhead, Preprinted < 1,780 W 528.8 W	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) rouit ansmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING ecommended paper size aper input: standard aper input: bypass (standard) aper input: maximum aper output: standard aper weight aper types COLOGY Dower consumption: max. Dower consumption: peration over consumption: ready over consumption: sleep	- - - - - - Bypass Bypass Plain paper, Recycled paper,	E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 2,100 sheets 250 sheets 30 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - Special paper, Colour paper, Letterhead, Preprinted < 1,780 W 528.8 W 26.4 W	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)
can modes AX (IM 370F, IM 460F) ircuit ransmission speed odem speed: maximum ompression method canning speed emory: standard APER HANDLING		E-mail, Folder, USB, URL, FTP, SMB PSTN,PBX 3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages) Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom S 500 sheets 100 sheets 2,100 sheets 250 sheets 250 sheets 30 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - Special paper, Colour paper, Letterhead, Preprinted < 1,780 W 528.8 W 26.4 W 0.41 W	3 seconds 33.6 Kbps MH,MR,MMR 46 spm 4 MB (320 pages)

IM 370/IM 370F/IM 460F

MAIN SPECIFICATIONS

IM 370 IM 370F IM 460F

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

3x 500-sheet paper tray

OTHER OPTIONS

High cabinet, Low cabinet, Caster table, IPDS unit, PostScript 3, XPS direct print, IEEE 802.11 a/b/g/n, Device server unit, OCR unit, Page keeper, Counter I/F unit, NFC card reader, Paperlock, Card reader cover, HDD Option, SSD 256GB option, Document Feeder Paper Guide Tray

CONSUMABLES

Toner (regular yield) 13,500 prints

Toner (high yield) Consumable yield measuring method ISO/IEC 19752

For availability of models, options and software, please consult your local supplier.







22,000 prints









Ricoh Europe (Netherlands) B.V.

John M. Keynesplein 10-B 1066 EP Amsterdam The Netherlands



+31 (0)20 5774111



micoh-europe.com

